


Increasing trust in the digital infrastructure through a national DDoS clearing house

Africa Internet Summit (AIS2019)
Sun Jun 16, 2019
Kampala, Uganda

Cristian Hesselman (SIDN)

DDoS examples



Other targets: OVH (hosting provider), Krebs On Security (website), Deutsche Telecom (ISP)





January 2018

A few DDoS trends


- Volume at 1+ Tbps, likely going up (Dyn 1.2 Tbps, GitHub 1.3 Tbps)
- Many widely distributed sources (Mirai 600K, Hajime 400K)
- High propagate rates (e.g., Mirai from 42K to 71K bots in 1 hour)
- Complex traffic (e.g., bot churn, volumetric/TCP state exhaustion)
- Easier to launch through booters/stressers (Mirai)
- Reflection attacks possible (e.g., Mirai and Reaper botnets)
- → Our society increasingly depends on network services!

[•] Antonakakis, T. April, M. Bailey, M. Bernhard, E. Bursztein, J. Cochran, Z., Durumeric, J. A. Halderman, L. Invernizzi, M. Kallitsis, D. Kumar, C. Lever, Z. Ma, J. Mason, D. Menscher, C. Seaman, N. Sullivan, K. Thomas, and Y. Zhou, "Understanding the Mirai Botnet", 26th USENIX Security Symposium, 2017

[•] S. Herwig, K. Harvey, G. Hughey, R. Roberts, and D. Levin, "Measurement and Analysis of Hajime, a Peer-to-peer IoT Botnet", Network and Distributed Systems Security (NDSS) Symposium 2019, San Diego, CA, USA, February 2019

New: DDoS information sharing in NL

- Continuous and automatic sharing of "DDoS fingerprints" buys providers time (proactive)
- Extends DDoS protection services that critical service providers use and does not replace them
- Improves attribution, allowing for better prosecution and increased deterrent effects
- Open to all critical providers in the Netherlands (Internet, financial, energy, water, etc.)




DDoS fingerprints = summary of DDoS traffic

- Domain names used, source
 IP addresses, protocol, packet
 length, no victim IP addresses
- Optional extensions: PCAPs, device-specific packet filter rules that ops teams used, suspected type of DDoS attack (e.g., Mirai or Hajimepowered), contact details of ops team
- Created from network measurements (e.g., PCAP, Netflow, IPFIX, sFlow, Logfile)

```
file type: "pcap'
                                                                  file_type: "pcap"
protocol: "DNS'
                                                                  protocol: "DNS
additional: {
                                                                  additional: {
   dns_query: "6666.forfun.net"
                                                                     dns query: "arctic.gov
   dns_type: 1.0
                                                                     dns_type: "255"
src_ips: [
                                                                 src_ips: [
      ip: "10.1.1.1"
                                                                        ip: "46.175.17.69"
total src ips: 48
                                                                 total_src_ips: 91412
src_ports: [
                                                                 src_ports: [
                                                                    53
   18547
   23807
                                                                 total_src_ports: 1
   22764
                                                                 dst ports:
   31949
   55211
                                                                    7929
   7931
                                                                    54453
   57670
   25282
                                                                    60150
   10232
                                                                    45091
                                                                    60552
total_src_ports: 1439
                                                                    26309
dst_ports: [
                                                                     45611
total_dst_ports: 1
                                                                 total_dst_ports: 30284
                                                                 key: "b83fd600020362a3d8950315f60a91a3"
key: "b49ce8969cfef5f5ce15f4d29d3329d6"
start time: "2019-02-21 19:51:59"
                                                                 start time: "2019-03-07 18:58:41"
duration sec: 4.447622060775757
                                                                  duration sec: 126.19218683242798
avg_pps: 15014.989827699528
                                                                 avg_pps: 27128.43866115077
avg bps: 1126124.2370774646
                                                                 avg bps: 23728633.999950055
multivector_key: "b49ce8969cfef5f5ce15f4d29d3329d6
                                                                  multivector_key: "b83fd600020362a3d8950315f60a91a3"
                                                                  src_ips_size: 91412
src ips size: 48
blame: {
   name: "HelloWorld"
   description: "This is a test blame on a test
                                                              Fingerprint - Attack trace
                                                                                                             □ Compare
   fingerprint from a test user for testing
```

Clearing house overall architecture (DRAFT)



DDoS clearing house NL partners

- Embraced by a coalition of 25 players from industry (ISPs, xSPs, IXPs, banks, not-for-profit DPS) and gov't (ministries and agencies)
- Including various existing collaborative anti-DDoS initiatives, such as the Dutch Continuity Board (DCB), NoMoreDDoS, NBIP-NaWas
- Working groups:
 - Clearing house
 - Cross-industry information sharing
 - Outreach
 - Ground rules and incident response
 - Exercises
- Facilitated by Dutch National Cyber Security Centre (NCSC-NL)

Status

- Technical track
 - Operational version of DDoS-DB based on open source prototype developed by the University of Twente
 - Closed user group: KPN, THTC, NBIP, NCSC-NL, SIDN, UT, NL-ix,
 VodafoneZiggo, Dutch Payment Association
- Legal track: data sharing agreement
 - Draft developed by legal experts of SIDN and KPN
 - Covers topics like governance, liability, and audits
 - Focus on simplicity, scalability (NL/EU), and various devops phases

Next steps

- Pilot in the Netherlands (short-term)
 - Approach: start small and iteratively scale up to more partners
 - First share pre-generated fingerprints, then on-the-fly generated prints
- DDoS clearing house for Europe
 - Part of CONCORDIA project (www.concordia-h2020.eu)



- Development of a clearing house "cookbook"
- Second pilot in Italy
- Envisioned long-term growth paths
 - Netherlands → Europe → global
 - Extend to "non-critical" service providers



Cristian Hesselman
Director SIDN Labs
+31 6 25 07 87 33
cristian.hesselman@sidn.nl
@hesselma

The development of the Dutch national DDoS clearing house is a joint effort of NBIP-NaWas, KPN, THTC, NCSC-NL, Dutch Payment Association, VodafoneZiggo, NL-ix, SIDN, SURFnet, and the University of Twente (WG clearing house). SIDN, SURFnet, and the University of Twente were partly funded by the European Union's Horizon 2020 Research and Innovation program under Grant Agreement No 830927.